



## Coastal flood damage and adaptation costs under 21st century sea-level rise

**Author(s):** Hinkel J, Lincke D, Vafeidis AT, Perrette M, Nicholls RJ, Tol RS, Marzeion B, Fettweis X, Ionescu C, Levermann A  
**Year:** 2014  
**Journal:** Proceedings of The National Academy of Sciences of The United States of America. 111 (9): 3292-3297

### Abstract:

Coastal flood damage and adaptation costs under 21st century sea-level rise are assessed on a global scale taking into account a wide range of uncertainties in continental topography data, population data, protection strategies, socioeconomic development and sea-level rise. Uncertainty in global mean and regional sea level was derived from four different climate models from the Coupled Model Intercomparison Project Phase 5, each combined with three land-ice scenarios based on the published range of contributions from ice sheets and glaciers. Without adaptation, 0.2-4.6% of global population is expected to be flooded annually in 2100 under 25-123 cm of global mean sea-level rise, with expected annual losses of 0.3-9.3% of global gross domestic product. Damages of this magnitude are very unlikely to be tolerated by society and adaptation will be widespread. The global costs of protecting the coast with dikes are significant with annual investment and maintenance costs of US\$ 12-71 billion in 2100, but much smaller than the global cost of avoided damages even without accounting for indirect costs of damage to regional production supply. Flood damages by the end of this century are much more sensitive to the applied protection strategy than to variations in climate and socioeconomic scenarios as well as in physical data sources (topography and climate model). Our results emphasize the central role of long-term coastal adaptation strategies. These should also take into account that protecting large parts of the developed coast increases the risk of catastrophic consequences in the case of defense failure.

**Source:** <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3948227>

### Resource Description

#### Climate Scenario :

specification of climate scenario (set of assumptions about future states related to climate)

Representative Concentration Pathway (RCP)

**Representative Concentration Pathway (RCP) :** RCP 2.6, RCP 4.5, RCP 8.5

#### Early Warning System:

resource focus on systems used to warn populations of high temperatures, extreme weather, or other elements of climate change to prevent harm to health

A focus of content

# Climate Change and Human Health Literature Portal

## **Exposure :**

weather or climate related pathway by which climate change affects health

Sea Level Rise, Temperature

**Temperature:** Fluctuations

## **Geographic Feature:**

resource focuses on specific type of geography

Ocean/Coastal

## **Geographic Location:**

resource focuses on specific location

Global or Unspecified

## **Health Impact:**

specification of health effect or disease related to climate change exposure

Health Outcome Unspecified

## **Intervention:**

strategy to prepare for or reduce the impact of climate change on health

A focus of content

## **Mitigation/Adaptation:**

mitigation or adaptation strategy is a focus of resource

Adaptation

## **Model/Methodology:**

type of model used or methodology development is a focus of resource

Computing System, Cost/Economic, Exposure Change Prediction

## **Resource Type:**

format or standard characteristic of resource

Research Article

**Socioeconomic Scenario:** Shared Socioeconomic Pathway (SSP)

## **Timescale:**

time period studied

Long-Term (>50 years)

## **Vulnerability/Impact Assessment:**

resource focus on process of identifying, quantifying, and prioritizing vulnerabilities in a system

# Climate Change and Human Health Literature Portal

A focus of content